



**CORRADI**<sup>®</sup>  
**IRIDIUM**<sup>®</sup>

## SCALPELLI PER LEGNO e SGORBIE per FALEGNAMI in acciaio al cromo-vanadio

WOOD CHISELS and CARPENTERS' GOUGES  
chrome-vanadium steel

LAVORAZIONE del LEGNO  
WOODWORKING

SCULTURA  
SCULPTURE

TEMPO LIBERO e SCUOLA  
HOBBY and SCHOOL

STRUMENTI MUSICALI  
MUSICAL INSTRUMENTS

Temprati per tutta la lunghezza della lama a 59-61 HRc. L'affilatura è pronta all'uso, con un'inclinazione di 25° per lavorazione su legni di media durezza. Forniti con cartoncino individuale e salvapunta.

Disponibili con:

- manico in faggio verniciato, con doppia ghiera in acciaio
- manico ergonomico in plastica a due componenti e due colori, impugnatura sicura, con rinforzo posteriore per l'uso delle mazzuole da falegnami. Dotato di speciale inserto ammortizzatore tra manico e lama per ridurre al minimo le vibrazioni trasmesse alla mano durante l'uso della mazzuola o del martello.

All the blade hardened 59-61 HRc. Ready to use sharpening, 25° for medium hardness woods. Individually carded and with protective cap. Available with:

- varnished beech wooden handle, with two steel ferrules
- ergonomic plastic handle, two components, two colors, safe grip, with reinforcement on the back for using with carving mallets. A special shock absorber between handle and blade reduces the impact of strokes on hands when used with carving mallets or hammers.

Lavorazione su:

- legno dolce
- legno duro

Suitable for:

soft wood  
hardwood

Confezione: scatola da 5 pezzi  
Packing: 5 pieces in carton box





**1650**



Lunghezza totale mm (approssimativa) <i>Overall length mm (approx)</i>	Lunghezza lama mm (approssimativa) <i>Blade length mm (approx)</i>	Larghezza lama mm <i>Blade size mm</i>
300	110	4 a richiesta - <i>on demand</i>
300	110	6
300	110	8
300	110	10
300	110	12
300	110	14
300	110	15
300	110	18
300	110	20
300	110	22
300	110	25
300	110	28
300	110	30
300	110	32
300	110	38



**1670**



Lunghezza totale mm (approssimativa) <i>Overall length mm (approx)</i>	Larghezza lama mm <i>Blade size mm</i>
300	6
300	10
300	12
300	16
300	20
300	26

